

DP-4-3
meetings

ADP Matters for Discussion at Forthcoming EAG Meeting

John F. Blake
Deputy Director for Administration
Room 7D24, Headquarters

DDA 76-5429

5454

2 November 1976

Director of Data
Processing
Room 2D-00, Hqs.

Dan:

I received the attached "advisory" from Hank Knoche. I mentioned to him that we had an early-on conversation with Jim Taylor on this matter. It was agreed in that conversation that part of your presentation would represent a "primer" both on types of equipment we possess and on Agency organization for use of that equipment. I suggest you still hold to that as your introductory words and then get into the other matters that Hank Knoche mentions.

(s) JFB

John F. Blake

Att: DDA 76-5409

Att: DDA 76-5409 - Note to DDA fr DDCI;
dtd 29 Oct 76, Same Subject

Distribution:

Orig - D/DP w/Orig of Att

- ~~1~~ - DDA Subject w/cy att
- 1 - DDA Chrono w/o att
- 1 - JFB Chrono w/o att

DDA:JFBBlake:der (2 Nov 1976)

ADMINISTRATIVE-INTERNAL USE ONLY

Executive Registry

76-10387

DD/A Registry

76-5409

29 OCT 1976

NOTE FOR: Deputy Director for Administration

Jack:

As you know, we have scheduled a presentation for the EAG on ADP matters, now to take place on 16 November. Because this session will be an introductory one for many of us, I think we should get an overview of the value and cost of the significant ADP systems which are operational and underway. I would like the SAFE, RAPID, and ADSTAR systems in particular to be included. Danny May should feel free to call upon the Comptroller's Office or other Directorate staff for any help he needs. When we have completed this presentation, we can consider what additional sessions we may wish to have.

STATINTL


E. H. Knoche
DDCI

cc: Comptroller
D/ODP

ADMINISTRATIVE-INTERNAL USE ONLY